

Pulse Oximeters

oxi-sat 610



2 x "AA" Rechargeable battery with 10 hr backup
Alarms for Sensor Disconnect and Limit Violations
User selectable alarm limits

oxi-sat 1020



LED Display of SpO2 and Pulse Rate
Rechargeable Battery with > 20 hour backup
Alarms for Sensor Disconnect and Limit Violations
Also available - Model oxi-sat 1060

oxi-sat 2060



Blue backlit LCD Display of Plethysmograph
LED Display of SpO2 and Pulse Rate
72 hours (3 days) Trends Memory
Rechargeable Battery with 5 hour backup

Pulse Oximeters & Capnographs

oxi-sat 2060Z



Technology from ZugMed, France
Blue backlit LCD Display of Plethysmograph
72 hours (3 days) Trends Memory
Rechargeable Battery with 5 hour backup

CapnoWave 3400Z



Mainstream & Sidestream - Zugmed, France
Display of Capnogram, etCO2, iCO2, Respiration
72 hours (3 days) Trends
Rechargeable Battery with 3 hour backup

EMCO MRI Compatible Monitors

MRI Pulse Oximeter 3600



20 feet Fiber Optic Sensor (non magnetic)
Suitable for use in 0.5 to 3 Tesla MRI
Noise/Artefact free MR images
Nonin (USA) Technology

Pulse Oximeter with NIBP 3700



20 feet BP Tubing with Adult/Child/Infant Cuffs
20 feet Fiber Optic Sensor (non magnetic)
Suitable for use in 0.5 to 3 Tesla MRI
Nonin (USA) & Suntech Medical (USA) Technology

Pulse Oximeter with Capno 3800



12 feet Sampling Lines & Nasal Cannula
Sidestream with 50ml/min Sampling Rate
Nonin (USA) & Respironics (USA) Technology
Available - Capnograph (Model 3800C)

Syringe Pump

Infusor 960



Infusion Rate – 0.1 to 1500 ml/hr
Accepts 5 ml to 50/60 ml syringes
Body Weight Mode with Easy Mode & Normal
 Battery backup of 8 hrs @ 5ml/h

Fetal/Vascular Dopplers

D520 (Fetal)



Fetal Doppler - with fixed 2 MHz Transducer
 Light weight, pocket-type doppler
 Operated on Battery & AC Adaptor

D580 (Vascular)



Vascular Doppler - with fixed 8 MHz Transducer
 Light weight, pocket-type doppler
 Operated on Battery & AC Adaptor
Available D500 with 2/4/8 Mhz Transducers

Capnographs

CapnoWave 3400



Mainstream & Sidestream - Respironics, USA
 Display of Capnogram, etCO₂, iCO₂, Respiration
 72 hours (3 days) Trends
 Rechargeable Battery with 3 hour backup

Pulse Ox with Capno 2060C



Mainstream & Sidestream - Respironics, USA
Pulse Oximetry - Nonin Medical, USA
 72 hours (3 days) Trends
 Rechargeable Battery with 3 hour backup

Multiparameter Monitors

MPM 4850



10.4" Colour TFT Display
 5 parameters - ECG, SpO₂, NIBP, Temp, Resp
 Upgradeable to - Dual IBP & etCO₂
 5 lead ECG, ST Analysis and Arrhythmia
 96 hour Graphic and Tabular trends

MPM 4870C



12.1" Colour TFT Display, MASIMO SpO₂
 5 parameters - ECG, SpO₂, NIBP, Temp, Resp
 Upgradeable to - etCO₂, Dual IBP
 5 lead ECG, ST Analysis and Arrhythmia
 480 hour Graphic and Tabular trends

Blood Warmer



Elltec Model AM-301

User-adjustable set-point temperature 36°C or 39°C

Audible & Visual Over Temperature alarm

4mm standard IV tubing

No dedicated disposable set required

Must for OT, ICU, etc